

KillTest

Mejor calidad Mejor servicio



Examen

<http://www.killtest.es>

Renovación gratuita dentro de un año

Exam : **ADA-C02**

Title : SnowPro Advanced:
Administrator Certification
Exam

Version : DEMO

1.DatabaseA has a single schema called Schema1. This schema contains many tables and views. The ANALYST role has privileges to select from all objects in DatabaseA.Schema1. The SYSADMIN role clones DatabaseA to DatabaseA_clone.

What privileges does the ANALYST role have on tables and views in DatabaseA_clone? (Choose two.)

- A. USAGE on the schema DatabaseA_clone
- B. USAGE on the database DatabaseA_clone.Schema1
- C. SELECT on all tables, and only non-secure views in DatabaseA_clone.Schema1
- D. SELECT on all tables, and only secure views in DatabaseA_clone.Schema1
- E. SELECT on all tables and views in DatabaseA_clone.Schema1

Answer: AE

2.Which statement allows a Snowflake Administrator to retrieve the network policy applied to their Snowflake account?

- A. SHOW NETWORK POLICIES IN ACCOUNT;
- B. SHOW PARAMETERS LIKE 'NETWORK POLICY' IN ACCOUNT;
- C. SHOW NETWORK POLICIES;
- D. DESC NETWORK POLICY <policy_name>;

Answer: B

3.What information is required from the Identity Provider (IdP) to enable federated authentication in Snowflake? (Choose two.)

- A. IdP account details
- B. URL endpoint for SAML requests
- C. SAML response format
- D. Authentication certificate
- E. IdP encryption key

Answer: BD

4.A team of developers created a new schema for a new project.

The developers are assigned the role DEV_TEAM which was set up using the following statements:

```
USE ROLE SECURITYADMIN;
```

```
CREATE ROLE DEV_TEAM;
```

```
GRANT USAGE, CREATE SCHEMA ON DATABASE DEV_DB01 TO ROLE DEV_TEAM;
```

```
GRANT USAGE ON WAREHOUSE DEV_WH TO ROLE DEV_TEAM;
```

Each team member's access is set up using the following statements:

```
USE ROLE SECURITYADMIN;
```

```
CREATE ROLE JDOE_PROFILE;
```

```
CREATE USER JDOE LOGIN_NAME = 'JDOE' DEFAULT_ROLE='JDOE_PROFILE';
```

```
GRANT ROLE JDOE_PROFILE TO USER JDOE;
```

```
GRANT ROLE DEV_TEAM TO ROLE JDOE_PROFILE;
```

New tables created by any of the developers are not accessible by the team as a whole.

How can an Administrator address this problem?

- A. Assign ownership privilege to DEV_TEAM on the newly-created schema.
- B. Assign usage privilege on the virtual warehouse DEV_WH to the role JDOE_PROFILE.

- C. Set up future grants on the newly-created schemas.
- D. Set up the new schema as a managed-access schema.

Answer: C

5.Which function is the role SECURITYADMIN responsible for that is not granted to role USERADMIN?

- A. Reset a Snowflake user's password
- B. Manage system grants
- C. Create new users
- D. Create new roles

Answer: B