

KillTest

Mejor calidad. Mejor servicio



Preguntas de práctica

<https://www.killtest.es>

Actualizaciones gratuitas durante un año

Exam : HCL-BF-PRO-11

Title : HCLSoftware U
Professional - BigFix
Platform 11

Version : DEMO

1.Which factors determine whether a Console Operator can take actions on an endpoint?

- A. Their assigned role's permissions
- B. Their approval from the Master Operator
- C. Whether they are subscribed to the relevant external site
- D. Whether the endpoint is online

Answer: A,D

2.What data points are commonly used in inline reports in WebUI?

- A. Patch status by device
- B. Relevance run history
- C. Compliance level of Fixlets
- D. Client latency statistics

Answer: A,C

3.What are valid targets for deploying a baseline?

- A. Manual computer group
- B. LDAP-integrated user role
- C. Automatic group
- D. Web Reports schedule

Answer: A,C

4.What is the first action required before initiating an Airgap installation of the BigFix platform in a secured environment?

- A. Setting up a BigFix Relay to proxy internet content
- B. Importing plugin certificates
- C. Generating an AirgapRequest.xml from the root server
- D. Running the BigFix Administration Tool to configure sites

Answer: C

5.Which design decisions contribute to a scalable and efficient BigFix relay infrastructure in large deployments? (Select all that apply)

- A. Ensuring that each relay services no more than 100 clients
- B. Placing relays close to endpoints based on network topology
- C. Using persistent connections for all relays
- D. Deploying relays in isolated VLANs to prevent overreach

Answer: B,C